




The **BOLD**SERIES, developed by One Click Metal, represents a holistic and user-friendly metal 3D printing system. At One Click Metal, the overarching goal is to simplify the complexity of metal additive manufacturing technology, making it accessible and understandable for everyone. With this goal in mind, the **BOLD**SERIES focuses on affordability and ease of use, while ensuring high-quality parts. Key features such as the cartridge system and the intuitive step-by-step HMI support this philosophy by enhancing user experience and simplifying operations.

The **BOLD**SERIES, comprises several components:

- The MPRINT, a metal 3D printer that forms the core of the system.
- The MPUREpro, a 2-in-1 unpacking and sieving station that streamlines post-processing steps.
- The MONE, a digital platform for location-independent monitoring and control of the MPRINT.
- The MPURE, a sieving station, available as an alternative option if sieving is regional within the **BOLD**SERIES.





MPRINT

The MPRINT is the printing unit of the **BOLD**SERIES. Powered by a 200W fiber laser, it offers high productivity and precision across a wide range of applications.

The MPRINT features a cartridge system that ensures the safe and clean handling of powder, minimizing direct contact for the user. With a generous build volume of 150mm x 150mm x 150mm, it provides ample space for creating components with flexible designs. The user-friendly interface of the MPRINT guides users through each step of the printing process, facilitating the creation of high quality printed components with ease.



MPRINT

HIGHLIGHTS

- 200W fiber laser allows high productivity
- 70µm high precision focus diameter and a Galvo scanner open up a wide field of applications
- Interchangeable build modules allow flexibility for applications and material with one system
- The MONE provides online remote monitoring and maintenance capabilities,
 enhancing convenience and efficiency
- Intuitive HMI simplifies machine operation, ensuring user-friendly control
- Patented cartridge system guarantees secure and simplified powder handling

POWDER SUPPLY for five supply catridges

ERGONOMIC HANDLING

simple touchscreen operation

200 WATT

fiber laser

INTUITIVE

software

REMOVABLE BUILD MODULE

print platform

HIGH-PERFORMANCE

galvo scanner

INTEGRATED CAMERA

process monitor



MPUREpro

The MPUREpro serves as the unpacking and sieving unit within the BOLDSERIES. Once the printing process is complete, the component in the build module is transferred into the dedicated unpacking chamber of the MPUREpro, guaranteeing a secure depowdering process. The excess powder is efficiently collected within an overflow cartridge, ready for further processing in the integrated sieving station. Through the automated ultrasonic sieve, the powder is carefully prepared for future printing jobs.

By utilizing our cartridge system, direct user contact with the powder is minimized, prioritizing user safety and risk reduction. Our innovative approach does not only protect the end user but also guarantes that the powder is securely sealed within the cartridges, ensuring its optimal condition.



MPUREpro

HIGHLIGHTS

- Generously dimensioned glove box in the unpacking chamber allows
 safe bulk powder removal
- Integrated connection for external vacuum system reduces initial investment cost
- Patented supply and overflow cartridges ensures safe and simplified powder handling
- Fully automatic sieving process, simplifying the workflow and reducing manual intervention

MINIMIZED DIRECT POWDER CONTACT

due to handling in catridges

VACUUM CLEANER

connection

INNOVATIVE

cartridae systen

SUSTAINABILITY THROUGH

reusable powde

COST SAVINGS DUE TO

materiai saving

ULTRASONIC SIEVE STATION FOR

powaer reus



MPURE

The MPURE is focusing only on the sieving of processed powder. It utilizes an ultra-sonic sieve to carefully prepare the powder collected from the overflow cartridge. This sieving process helps remove any impurities, ensuring that the powder is clean and ready for reuse in the next printing job. The sieved powder is automatically transferred into a fresh supply cartridge, making it effortless convenient for future printing operations.



MPURE

HIGHLIGHTS

- Ultra-sonic sieve ensuring thorough and effective sieving of the powder
- Patented supply and overflow cartridges ensures safe and simplified powder handling
- Fully automatic sieving process, simplifying the workflow and reducing manual intervention
- Separate oversize container to collect any oversized powder particles,
 maintaining the integrity of the sieved powder

SUSTAINABILITY THROUGH

reusable powde

ULTRASONIC SIEVE STATION

tor powder reusal

COST SAVINGS DUE

to material saving

INNOVATIVE

cartridge system



STARTERKIT

PERFECTLY EQUIPPED - GET STARTED RIGHT AWAY!

Professional start! Thanks to the comprehensive starter kit, your 3D- print production is ready for immediate use in just a few steps. It contains all the necessary components and offers the option of using both machines separately.

enable the series to operate non-stop! While the first job in the MPUREpro is unpacked and cleaned, a new job with a second build module can be started directly in the MPRINT.



POWDER

STARTERKIT

PERFECTLY MATCHED TO THE BOLDSERIES

In addition to software and hardware, the powder in particular is of great importance for production success. The MSUPPLY powder is a certified and quality-tested powder for the MPRINT and its parameters to set up dental applications.

Supplied ready to start in the proven form - the powder container also serves as a supply container in the machine - the material can be fed directly into the process, without cumbersome filling of cylinders or building chambers of the machines. The powder has excellent process and flow properties.

Highly complex frameworks can be built with the MSUPPLY. Thus, the MSUPPLY forms the perfect basis for a variety of veneering ceramics and composite build-ups, such as model casting.





You can find more materials in our store

3-pack substrate plate

POWDER MANAGEMENT

1 Printing Process

As the printing job progresses, any excess powder is carefully collected in the designated overflow cartridge. Once the printing is complete, the build module has to be transported to the unpacking chamber of the MPUREpro for further processing.

MPRINT

2 Unpacking Process

During the depowdering process of the component, the processed powder is effectively collected in a separate overflow cartridge.

3 Sieving Process

The overflow cartridges are inserted into the sieving station, where the powder is sieved. The sieved powder is then carefully collected in fresh supply cartridges.

SUSTAINABLE PRODUCTION IN JUST A FEW STEPS

The BOLDSERIES features a sophisticated cartridge system that enables efficient powder management throughout the whole process chain. The supply cartridges serve a dual role, providing fresh powder for the print job while also collecting sieved powder in the sieving station. Meanwhile, the overflow cartridges efficiently collect the processed powder. The cartridge system significantly reduces direct powder contact, making the BOLDSERIES user-friendly and accessible to individuals, regardless of their prior experience.



VIDEO


18 19

MPUREpro

MACHINE OPERATION

JUST A FEW STEPS TOWARDS A SUCCESSFUL START

The control software enables absolutely intuitive operation of the MPRINT. The handling is self-explanatory and allows a quick start in dealing with the machine. Take advantage of the saved time for your workflow and start with just a few clicks.





STATUS: PRINTING - 50%

- 1 BUILD JOB select print file
- 2 BUILD MODULE
 prepare build module
- POWDER SUPPLY
 check powder status
- OVERFLOW POWDER
 check overflow status
- MAINTENANCE do necessary maintenance
- 6 FIRST LAYER apply first layer

FEATURES

- Guided functions for operating and maintaining the BOLDSTOR
- Forecast for powder supply
- Intuitive design
- Process camera for process overview


DATA PREPARATION


AUTODESK FUSION 360

Autodesk Fusion 360 combines CAD, CAM, CAE, and PCB into a sintegrated cloud software platform. It includes all the tools the need to go from design to manufacturing, seamlessly.

FEATURES

- Cloud based software
- Holistic process chain (Design Manufacturing Post-Process)
- Import of CAD-Files (Siemens NX, SolidWorks, Catia, ProE/Creo, IGES, STEP, STL)
- Automated support structure generation
- Collision detection
- Process simulation







AUTODESK NETFABB

Detect and minimize manufacturing errors by simulating additive manufacturing processes using metal powder bed bonding and laser metal deposition.

FEATURES

- On premise software
- Intuitive and easy usage
- Import of CAD-Files (Siemens NX, SolidWorks, Catia, ProE/Creo, IGES, STEP, STL)
- Easy and automated repair of defect files
- Automated support structure generation
- Nesting options
- Part labeling
- Collision detection
- Process simulation






BOLDSERIES MODULES FUNCTIONS


FLEXIBILITY TAILORED TO YOUR GOALS PRODUCTION - RESEARCH - EDUCATION ALTOGETHER





Build Plate (WxH): 150mm x 150mm Build Height: 150mm






 Usage of small powder amounts for material research and precious metals

Build Plate (LxB): 78mm x 53mm
Build Height: 90mm at 1,5 times dosing
Heating Temperature (maximum): 200°C

Removable Overflow Funnel Integrated Powder Supply

LABMODULE



Build Plate (WxH): 150mm x 150mm

Build Height: 150mm

Heating Temperature (maximum): 200°C

Preheating Time: < 60min



CONSUMABLES & ACCESSORIES







Mounting surface: 78 x 53 x 90mm

Substrate Plate | 3-pack

- Dimensions: 152 x 15 x 152 mm (W x H x D).
- Provides the perfect base for welding the component
- Avoidance of distortion as well as optimal heat dissipation



Replacement cartridges for supply & overflow

- Ergonomic handling with max. 8 kg filling quantity
- Integrated NFC tag (prohibition of unwanted batch mixing, quality assurance of the powder, fill level query)



Main filter | 6-pack

- Dimensions: 135 x 235 x 135 mm
- $\, \blacksquare \,$ Optimal filtering of the welding fumes for reuse of the gas



Electric lift incl. construction module fork

 Uncomplicated transport of the building module with a lifting speed of 100 mm/s (with load) with a load capacity of 80 kg



PSA package for one person

Personal protective equipment: 1 x powder gown | 1 x safety goggles |
 5 x disposable respirator mask | 1 x pack of rubber gloves (L)



Levelling aid building panel

The leveling aid is used to align the building panel



Digital platform for location-independent monitoring and control

- Upload of build jobs and job planning
- Status monitoring of machines, job parameters, print progress and powder supply



MSUPPLY powder package

Powder packages in different sizes for required machine utilization



- Medium annual machine utilization: 9 Supply containers
- High annual machine utilization: 12 Supply containers



Further accessory equipment

For further accessory equipment please contact your reseller.

THE FINAL PROCESS



CAD + SLICER/ DATA PREPARATION

At the beginning there is your use case, for which you must create a component design in a CAD program. For this, you can use Autodesk Fusion 360, for example.

JOB UPLOAD + DIGITAL PLATFORM

Using the MONE, you can quickly and easily load your component onto the machine. The MONE also allows you to keep track of the printing progress and powder supply of all your machines.

PRINTING PROCESS

After you have prepared the MPRINT for printing (see also the section machine operation), you can start the build job.

UPACKING PROCESS


Once the part is printed and the build module is inserted into the MPUREpro with the lifter, you can unpack it without direct powder contact and sieve processed powder at the same time


POST PROCESSING

If your component has support structures, now is the time to remove them. Optionally, further finishing steps are possible, such as sandblasting, polishing, or grinding.

YOUR PRODUCTION LINE IN THE SMALLEST SPACES


The **BOLD**SERIES is designed for easy setup, even in compact spaces as small as 15 to 20m², without compromising smooth and powerful production capabilities. The machines are equipped with wheels at the bottom, facilitating effortless mobility and allowing them to be easily moved to the desired location, including passing through standard-sized doors.






DIMENSIONS

MPRINT






Process Chamber	
Printing method	LPBF (Laser Powder Bed Fusion)
Powder application	X profile
Focus diameter	70 μm
Scanning speed	Up to 3000 mm /s
Laser power	200 Watt (Fiber)
Building Module	
Machining volume	5.9 x 5.9 x 5.9 inch / 150 x 150 x 150 mm
Layer height	20 – 80 μm
Powder Supply	
Magazine	Up to 5 supply cartridges
Data Preparation	
CAM/Slicing software	Fusion 360 / Netfabb
Connection and Consumption	
Power supply	110 - 230 V / 50-60 Hz
Fuse	16 A
Inert gas	Nitrogen / Argon
Filter	Replaceable filter
Dimensions and Weight	
Width x depth x height	4.3 x 31.1 x 74.8 inch / 1100 x 790 x 1900 mm
Weight	440 kg

DIMENSIONS


MPUREpro




Workflow	
Working Process	De-powdering + Sieving = Recycling (2in1 unpacking and sieving station)
Unpacking Chamber	
Chamber structure	Glove intervention for unpacking without direct powder contact
Suction system	Integrated connection for external suction system
Sieving Unit for Powder Recycling	
Sieving process	Ultrasonic sieve
Powder preparation	Reuse through sieved powder in supply cartridge
Residual disposal	Separate for disposal of the oversize powder
Connection and Consumption	
Power supply	110 - 230 V / 50 - 60 Hz
Fuse	16 A
Dimensions and Weight	
Width x depth x height	4.3 x 31.1 x 74.8 inch / 1100 x 790 x 1900 mm
Weight	310 kg

DIMENSIONS


MPURE





Workflow	
Working processes	Sieving + Recycling (Sieving unit for powder recycling)
Sieving Unit for Powder Recycling	
Sieving process Ultrasonic	Ultrasonic sieve
Powder preparation	Reuse through sieved powder in supply cartridge
Residual disposal	Separate for disposal of the oversize powder
Dimensions and Weight	
Width x depth x height	18 x 25 x 74.8 inch / 460 x 640 x 1900 mm
Weight	130 kg

SALES AND SUPPORT PARTNERS WORLDWIDE



Founded in 2019, One Click Metal is an industrial B2B company and a subsidiary of INDEX Werke, based in Tamm near Stuttgart.

We believe that technologies can be made understandable and usable for everyone. That's why we simplify our product solutions so that anyone can use them successfully.

With our metal 3D printing system, we primarily serve small and medium-sized enterprises and thus ensure that metal 3D printing technologies become accessible to the general public. We are working on this with a strong team and a lot of motivation.



info@oneclickmetal.com

One Click Metal